


IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

GLADDING-MCBEAN & COMPANY

601 7TH STREET LINCOLN, CA 95648 , United States

Product:

Vitrified Clay Sewer Pipe & Fittings

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
International Plumbing Code (IPC®)

Products are certified to the following standard(s)

ASTM C700-2018 (R2022)

File Number: 0616

Revised Date: June 12, 2025

Effective Date: February 2024

Void After: February 2029*


Chairman, Product Certification Committee





Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: GLADDING-MCBEAN & COMPANY

File Number: 0616

Product: Vitrified Clay Sewer Pipe & Fittings

Effective Date: February 2024

Revised Date: June 12, 2025

Void After: February 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Pipe & Fittings: Each length of pipe and fittings shall bear the initials or name of the manufacturer and the location of the plant. The words "Extra Strength" or the symbol "ES" shall be included, when applicable, to identify the class of pipe. The markings shall be indented on the exterior of the pipe, and shall be plainly legible for identification. The product shall also bear the UPC® certification mark.

Couplings: Shall bear the manufacturer's name or trademark, size, model number and the UPC® certification mark.

Characteristics:

Extra strength clay pipe and fittings in sizes 4", 6", 8", 10" & 12" meeting the requirements of the latest edition of ASTM C700 with factory applied yellow polyurethane joints which meet the requirements of the latest edition of ASTM C425. Perforated pipe complying with the requirements of the latest edition of ASTM C700 is available in sizes 4", 6", 8", 10" & 12".

Acceptable fittings configurations are single wyes, combination wyes & 1/8 bends, sweep 1/4 bends, 1/8 bends, 1/16 bends, increasers, reducers, septic tank tees and septic tank long sweep 1/4 bends.


Rubber hubless pipe couplings (unshielded), and bushings are available in sizes 4", 6", 8", 10" and 12". The bushings provide a transition to other types of sewer pipe or DWV piping. The 4", 6" and 8" stoppers are of injected molded polyethylene. Stoppers 10" and larger are of clay.

Products contained in this listing are to be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of The Uniform Plumbing Code. Their use is limited to underground applications only.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: GLADDING-MCBEAN & COMPANY

File Number: 0616

Product: Vitrified Clay Sewer Pipe & Fittings

Effective Date: February 2024

Revised Date: June 12, 2025

Void After: February 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Description
4"	Speed Seal
6"	Speed Seal
8"	Speed Seal
10"	Speed Seal
12"	Speed Seal
4"	Gladding-McBean Coupling Pipe
6"	Gladding-McBean Coupling Pipe
8"	Gladding-McBean Coupling Pipe
10"	Gladding-McBean Coupling Pipe
12"	Gladding-McBean Coupling Pipe

Note: Models rated Higher than Extra Strength